



STIC Search Report

Biotech-Chem Library

STIC Database Tracking Number: 172743

TO: Ralph J Gitomer
Location: 3d65 / 3c18
Tuesday, December 13, 2005
Art Unit: 1655
Phone: 571-272-0916
Serial Number: 10 / 814223

From: Jan Delaval
Location: Biotech-Chem Library
Remsen 1a51
Phone: 571-272-2504

jan.delaval@uspto.gov

Search Notes

FOR OFFICIAL USE ONLY

ACCESS DB #

172743

PLEASE PRINT CLEARLY

Scientific and Technical Information Center

SEARCH REQUEST FORM

Requester's Full Name: R. G. L. T. O. M. E. R. Examiner #: 69630 Date: 11/22/05

Art Unit: 1655 Phone Number: 2- _____ Serial Number: 10/814,233

Location (Bldg/Room#): _____ (Mailbox #): _____ Results Format Preferred (circle): PAPER DISK

SCIS

To ensure an efficient and quality search, please attach a copy of the cover sheet, claims, and abstract or fill out the following:

Title of Invention: _____

Inventors (please provide full names): _____

Earliest Priority Date: _____

Search Topic:

Please provide a detailed statement of the search topic, and describe as specifically as possible the subject matter to be searched. Include the elected species or structures, keywords, synonyms, acronyms, and registry numbers, and combine with the concept or utility of the invention. Define any terms that may have a special meaning. Give examples or relevant citations, authors, etc., if known.

For Sequence Searches Only Please include all pertinent information (parent, child, divisional, or issued patent numbers) along with the appropriate serial number.

STAFF USE ONLY

Searcher: [Signature]

Searcher Phone #: 22504

Searcher Location: _____

Date Searcher Picked Up: 12/13/05

Date Completed: 12/13/05

Searcher Prep & Review Time: 20

Online Time: +40

Type of Search

____ NA Sequence (#)

____ AA Sequence (#)

____ Structure (#)

☒ Bibliographic

____ Litigation

____ Fulltext

____ Other

Vendors and cost where applicable

☒ STN _____ Dialog

____ Questel/Orbit _____ Lexis/Nexis

____ Westlaw _____ WWW/Internet

____ In-house sequence systems

____ Commercial _____ Oligomer _____ Score/Length

____ Interference _____ SPDI _____ Encode/Transl

____ Other (specify)

=> fil wpix

FILE 'WPIX' ENTERED AT 12:53:05 ON 13 DEC 2005
COPYRIGHT (C) 2005 THE THOMSON CORPORATION

FILE LAST UPDATED: 8 DEC 2005 <20051208/UP>
MOST RECENT DERWENT UPDATE: 200579 <200579/DW>
DERWENT WORLD PATENTS INDEX SUBSCRIBER FILE, COVERS 1963 TO DATE

>>> FOR A COPY OF THE DERWENT WORLD PATENTS INDEX STN USER GUIDE,
PLEASE VISIT:
http://www.stn-international.de/training_center/patents/stn_guide.pdf <<<

>>> FOR DETAILS OF THE PATENTS COVERED IN CURRENT UPDATES, SEE
<http://thomsonderwent.com/coverage/latestupdates/> <<<

>>> FOR INFORMATION ON ALL DERWENT WORLD PATENTS INDEX USER
GUIDES, PLEASE VISIT:
<http://thomsonderwent.com/support/userguides/> <<<

>>> NEW! FAST-ALERTING ACCESS TO NEWLY-PUBLISHED PATENT
DOCUMENTATION NOW AVAILABLE IN DERWENT WORLD PATENTS INDEX
FIRST VIEW - FILE WPIFV.
FOR FURTHER DETAILS: <http://www.thomsonderwent.com/dwpifv> <<<

>>> THE CPI AND EPI MANUAL CODES HAVE BEEN REVISED FROM UPDATE 200501.
PLEASE CHECK:
<http://thomsonderwent.com/support/dwpieref/reftools/classification/code-revision/>
FOR DETAILS. <<<

>>> PLEASE BE AWARE OF THE NEW IPC REFORM IN 2006, SEE
http://www.stn-international.de/stndatabases/details/ipc_reform.html <
'BI ABEX' IS DEFAULT SEARCH FIELD FOR 'WPIX' FILE

=> d all abeq tech abex tot

L44 ANSWER 1 OF 3 WPIX COPYRIGHT 2005 THE THOMSON CORP on STN

AN 2005-534434 [55] WPIX

DNN N2005-437533 DNC C2005-162130

TI Water quality analysis method using **potassium permanganate**.

DC D14 S03

IN CHEN, B; HUANG, J; LIAO, J

PA (YOUD-N) YOUDA PHOTOELECTRIC CO LTD

CYC 1

PI CN 1591009 A 20050309 (200555)* G01N033-18 <--

ADT CN 1591009 A CN 2003-155398 20030826

PRAI CN 2003-155398 20030826

IC ICM G01N033-18

ICS C12Q001-04; G01N001-30; G01N033-48

AB CN 1591009 A UPAB: 20050826

NOVELTY - A water quality analysis method using **potassium permanganate**, is new.

DETAILED DESCRIPTION - A method for making water quality analysis by using **potassium permanganate (KMnO4)** whose mole concentration is about 0.02M (mole/l) as staining agent of biological colony in water solution so as to be favorable for purification of water solution and judgement of its purity. Its water quality analysis includes the following steps: firstly, providing a biological filtration membrane, making sample be passed through said biological filtration membrane, culturing said biological filtration membrane, respectively using

potassium permanganate to stain the biological filtration membrane according to different culture time durations for about 10-30 sec., then using deionized water to wash the biological filtration membrane, finally counting the colonial number contained on the biological filtration membrane.

Dwg.1/1

FS CPI EPI

FA AB; GI

MC CPI: D04-A01F; D04-A01H; D04-A01J;

D04-B

EPI: S03-E04E; S03-E14B

L44 ANSWER 2 OF 3 WPIX COPYRIGHT 2005 THE THOMSON CORP on STN

AN 2005-172264 [18] WPIX

DNC C2005-055264

TI Water analysis for detecting the presence of microorganisms in water sample involves staining the microorganisms with **potassium permanganate**.

DC D15 D16 E31 J01 J04

IN CHEN, B; HUANG, C; HUANG, G; LIAO, C

PA (CHEN-I) CHEN B; (HUAN-I) HUANG C; (HUAN-I) HUANG G; (LIAO-I) LIAO C

CYC 1

PI US 2005037451 A1 20050217 (200518)* 10 C12Q001-04 <--

ADT US 2005037451 A1 US 2004-814233 20040401

PRAI TW 2003-122431 20030814

IC ICM C12Q001-04

AB US2005037451 A UPAB: 20050316

NOVELTY - Water analysis involves providing a bio-membrane as a filter; filtering out the microorganisms in the water sample, using the bio-membrane; cultivating the microorganisms on the bio-membrane; staining the microorganisms on the bio-membrane with **potassium permanganate (KMnO4)**; rinsing the bio-membrane with purified de-ionized water; and performing a colony count for readable microorganisms on the bio-membrane.

USE - For water analysis in detecting the presence of microorganisms in a water sample (claimed).

ADVANTAGE - The method of using **potassium permanganate** in water analysis can efficiently reduce the time that allows about 90% identify rate to be obtained. The method can easily detect the presence of microorganisms in a water sample during the semiconductor manufacturing processes, using **potassium permanganate** as dyes. The method is timesaving and allows ease for detecting the presence of microorganisms in a water sample during the semiconductor manufacturing processes compared with the conventional method. Also, the method is an economic method for identifying the microorganism colonies because of the low prices of **potassium permanganate**.

Dwg.0/7

FS CPI

FA AB; DCN

MC CPI: D04-A01E; D04-A01H; D04-A01J; D05-H09;
D05-H13; E35-S; J01-H03; J01-X01C; J04-B01;
J04-C01

L44 ANSWER 3 OF 3 WPIX COPYRIGHT 2005 THE THOMSON CORP on STN

AN 1983-763976 [37] WPIX

DNN N1983-163423 DNC C1983-089040

TI Measuring **microorganism** e.g. Candida concentrate - by treating cell suspension with mono potassium phosphate, oxidising with **potassium permanganate** and measuring kinetic chemiluminescence.

DC B04 D16
 IN LYSOV, V D; MEXENTSEV, A N; TSIBANOVA, I V
 PA (BIOL-R) BIOL INSTR RES INST
 CYC 1
 PI SU 973610 A 19821115 (198337)* 6
 PRAI SU 1981-3294236 19810528
 IC C12N001-00; C12Q001-06
 AB SU 973610 A UPAB: 19930925

Microorganism cell concentration in aqueous cell suspension is determined by: forming a cell suspn. in water; adding KH₂PO₄ to pH 4.0-4.7; holding 2-10 mins.; oxidising with **KMnO₄**; and measuring kinetic chemiluminescence. The method has good accuracy for measurement of live cell concentration

In a typical operation 0.5mls. of 0.1M KH₂PO₄ are added to 0.5 mls. of a *Candida guilliermondii* suspn. and held 2 mins. at room temperature 0.2mls. are then sampled and treated with 0.2mls. of oxidiser solution (0.1% **KMnO₄** + 1.8M BaCl₂). The kinetic chemiluminescence is then monitored to obtain a measure of live cell concentration Bul. 42/15.11.82.
 0/0

FS CPI
 FA AB
 MC CPI: B04-B02B; B11-C07B; B12-K04; D05-H

=> => fil hcaplus

FILE 'HCAPLUS' ENTERED AT 13:00:43 ON 13 DEC 2005
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 13 Dec 2005 VOL 143 ISS 25
 FILE LAST UPDATED: 12 Dec 2005 (20051212/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d all hitstr tot

L64 ANSWER 1 OF 3 HCAPLUS COPYRIGHT 2005 ACS on STN
 AN 2005:140691 HCAPLUS
 DN 142:182650
 ED Entered STN: 18 Feb 2005
 TI Method of using **potassium permanganate** in water analysis
 IN **Chen, Bo-Cun; Huang, Chiao-Chung; Liao, Ching-Wei; Huang, Guo-Ming**
 PA Taiwan

SO U.S. Pat. Appl. Publ., 10 pp.

CODEN: USXXCO

DT Patent

LA English

IC ICM C12Q001-04

INCL 435034000

CC 61-3 (Water)

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 2005037451	A1	20050217	US 2004-814233	20040401
	CN 1591009	A	20050309	CN 2003-155398	20030826
PRAI	TW 2003-92122431	A	20030814		

CLASS

PATENT NO.	CLASS	PATENT FAMILY CLASSIFICATION CODES
US 2005037451	ICM	C12Q001-04
	INCL	435034000
US 2005037451	NCL	435/034.000
	ECLA	C12Q001/04

AB A method of water anal. for detecting the presence of **microorganisms** in a H2O sample, comprises the steps of: 1st, providing a bio-membrane as a filter; filtering out the **microorganisms** in the H2O sample, using the bio-membrane; cultivating the **microorganisms** on the bio-membrane; staining the **microorganisms** on the bio-membrane with **K permanganate (KMnO4)**; rinsing the bio-membrane with purified deionized H2O; and finally, and counting **microorganisms**.

ST **potassium permanganate** water analysis
microorganism filter staining

IT Filters
(biofilters; method of using **potassium permanganate** in water anal.)

IT Analysis
Membrane, biological
Membrane filters
Microorganism
Staining, biological
(method of using **potassium permanganate** in water anal.)

IT 7732-18-5, Water, analysis
RL: ARU (Analytical role, unclassified); ANST (Analytical study)
(anal.; method of using **potassium permanganate** in water anal.)

IT 7722-64-7, **Potassium permanganate**
RL: ARU (Analytical role, unclassified); TEM (Technical or engineered material use); ANST (Analytical study); USES (Uses)
(method of using **potassium permanganate** in water anal.)


IT 7732-18-5, Water, analysis
RL: ARU (Analytical role, unclassified); ANST (Analytical study)
(anal.; method of using **potassium permanganate** in water anal.)

RN 7732-18-5 HCAPLUS

CN Water (8CI, 9CI) (CA INDEX NAME)

H2O

IT 7722-64-7, Potassium permanganate
 RL: ARU (Analytical role, unclassified); TEM (Technical or engineered material use); ANST (Analytical study); USES (Uses)
 (method of using potassium permanganate in water anal.)
 RN 7722-64-7 HCAPLUS
 CN Permanganic acid (HMnO4), potassium salt (8CI, 9CI) (CA INDEX NAME)



● K

L64 ANSWER 2 OF 3 HCAPLUS COPYRIGHT 2005 ACS on STN
 AN 1979:156884 HCAPLUS
 DN 90:156884
 ED Entered STN: 12 May 1984
 TI Characterizing the dissolved and colloidal suspended organic substances in water
 AU El-Bassam, Nasir; Mueller, Hans Emil; Tietjen, Cord
 CS Inst. Pflanzenbau Saatgutforsch., Bundesforschungsanst. Landwirtsch., Braunschweig, Fed. Rep. Ger.
 SO Landbauforschung Voelkenrode (1978), 28(2), 70-4
 CODEN: LVOEAC; ISSN: 0458-6859
 DT Journal
 LA German
 CC 61-2 (Water)
 Section cross-reference(s): 60
 AB Tests on river water, effluent from sewage treatment plants, and soil water indicated that the dissolved organic C (DOC) method (photochem. oxidation)
 is more reproducible than the COD method (KMnO4), although a high Cl- content interferes. The KMnO4 method determined, on the average, only 51.2% of organic C, regardless of sample origin. The BOD method also determined part of the N, giving 157.6% of the values obtained by the DOC method for sewage effluent. The BOD increased significantly with increasing NH4 content. The C determined in soil water by BOD was 24.6% of that determined by DOC, possibly due to loss of microorganisms by filtration.
 ST org matter detn water; BOD water carbon detn; carbon org detn water; wastewater treatment carbon detn
 IT Biochemical oxygen demand
 (carbon determination by, in water, evaluation of)
 IT Organic matter
 (determination of, in water, evaluation of methods for)
 IT 7440-44-0, analysis
 RL: ANT (Analyte); ANST (Analytical study)
 (determination of, in water, evaluation of methods for)
 IT 14798-03-9, occurrence
 RL: OCCU (Occurrence)
 (in water, errors in carbon determination by BOD method in presence

of)
 IT 7732-18-5, analysis
 RL: ANST (Analytical study)
 (organic matter determination in, evaluation of methods for)
 IT 7732-18-5, analysis
 RL: ANST (Analytical study)
 (organic matter determination in, evaluation of methods for)
 RN 7732-18-5 HCAPLUS
 CN Water (8CI, 9CI) (CA INDEX NAME)

H2O

L64 ANSWER 3 OF 3 HCAPLUS COPYRIGHT 2005 ACS on STN
 AN 1975:76838 HCAPLUS
 DN 82:76838
 ED Entered STN: 12 May 1984
 TI Improvement of the method for the determination of BOD in highly
 polluted waters
 AU Sostaric, N.
 CS Inst. Hydrometerol. Croatia, Zagreb, Yugoslavia
 SO Arhiv za Higijenu Rada i Toksikologiju (1974), 25(2), 177-83
 CODEN: AHRTAN; ISSN: 0004-1254
 DT Journal
 LA Croatian
 CC 60-3 (Sewage and Wastes)
 AB The BOD values of a prepared sample of water put in various flasks
 varied with the dilution and the ratio of dissolved O to BOD in the
 flasks. BOD of the dilution water alters the BOD value
 of the sample, partly because of the roughness of the internal flask
 surface and the presence of microelements which affect the microbiol.
 processes. The same O-BOD ratio must be maintained. The amount
 of KMnO4 used and its ratio to BOD are good indicators
 of relatively exact dilution This ratio should vary within $1.5 \pm 12\%$,
 i.e. from 1.34 to 1.68. The greater the dilution of the original sample, the
 stronger is the effect of BOD of the dilution water.
 ST BOD detn polluted water
 IT Biochemical oxygen demand
 (determination of, in waste water, dilution in relation to)
 IT 7732-18-5, analysis
 RL: ANST (Analytical study)
 (BOD determination in waste, dilution in relation to)
 IT 7732-18-5, analysis
 RL: ANST (Analytical study)
 (BOD determination in waste, dilution in relation to)
 RN 7732-18-5 HCAPLUS
 CN Water (8CI, 9CI) (CA INDEX NAME)

H2O

=> => d his

(FILE 'WPIX' ENTERED AT 12:30:33 ON 13 DEC 2005)
 DEL HIS

, jan delaval - 13 december 2005


```

          E POTASSIUM PERMANGANATE/CN
L1          1 S E3
L2      4006 S (K OR POTASSIUM) (A) PERMANGANATE OR PERMITAB OR KMNO4
L3      1673 S R01730/DCN OR 1730/DRN
L4      4521 S L2,L3
L5          13 S L4 AND D04-A01/MC
L6          11 S L4 AND D04-A/MC
L7          15 S L4 AND D04-A01E/MC
L8          10 S L4 AND D04-A01J/MC
L9      284 S L4 AND D04-A?/MC
L10     284 S L5-L9
L11          2 S L10 AND C12Q/IPC
L12          34 S L4 AND C12Q/IPC
L13          34 S L11,L12
L14          1 S L13 AND J04-C01/MC
L15          3 S L13 AND J04-B01/MC
L16          5 S L13 AND D05-H13/MC
L17          7 S L14-L16
L18          8 S L11,L17
          SEL DN AN 1 2
L19          2 S L18 AND E1-E5
L20     26 S L13 NOT L18
L21          3 S L20 AND MICROORGANISM
          SEL DN AN 3
L22          1 S E6-E8 AND L21
L23          3 S L19,L22 AND L2-L22
L24          1 S US20050037451/PN OR (US2004-814233# OR TW2003-122431)/AP, PRN
          E CHEN B/AU
L25     1299 S E3,E6,E7
          E HUANG C/AU
L26     2981 S E3,E6-E8
          E LIAO C/AU
L27          441 S E3,E19
          E HUANG G/AU
L28          736 S E3,E14
          E AU OPTRONIC/PA
L29          976 S E4-E7
          E AUOPTRONIC/PA
          E OPTRONIC/PA
L30     1365 S E3-E32
L31          9 S L4 AND L25-L30
          SEL DN AN 1 2
L32          2 S L31 AND E1-E5
L33          3 S L23,L24,L32 AND L1-L32
L34          45 S L4 AND V5?/M0,M1,M2,M3,M4,M5,M6
L35          124 S L4 AND C12R/IPC
L36          0 S L34,L35 AND L10
L37          29 S G01N033-18/IPC AND L4
L38          0 S L34,L35 AND L37
L39          260 S D04-B?/MC AND L4
L40          0 S L39 AND L34,L35
L41          10 S L37 AND L39
          SEL DN AN 1
L42          1 S L41 AND E6-E8
L43          19 S L37 NOT L41
L44          3 S L33,L42 AND L1-L43

```

FILE 'WPIX' ENTERED AT 12:53:05 ON 13 DEC 2005

FILE 'REGISTRY' ENTERED AT 12:53:29 ON 13 DEC 2005

E POTASSIUM PERMANGANATE/CN
L45 1 S E3
L46 18 S 13465-41-3/CRN AND K/ELS

FILE 'HCAPLUS' ENTERED AT 12:54:28 ON 13 DEC 2005
L47 10682 S L45
L48 47095 S (K OR POTASSIUM) (A) PERMANGANATE OR PERMITAB OR KMNO4
L49 47827 S L47,L48

FILE 'REGISTRY' ENTERED AT 12:54:58 ON 13 DEC 2005
L50 1 S WATER/CN

FILE 'HCAPLUS' ENTERED AT 12:55:00 ON 13 DEC 2005
L51 80374 S L50(L) (ANT OR ANST)/RL
L52 548 S L49 AND L51
L53 597 S L51 AND MICROORG?
L54 2 S L52 AND L53
E BIOCHEMICAL OXYGEN DEMAND/CT
E E3+ALL
L55 4273 S E2
L56 18609 S E2/BI OR E3/BI
L57 27 S L52 AND L55,L56
SEL DN AN 19
L58 1 S E1-E3 AND L57
L59 25 S L49 AND (CHEN B? OR HUANG C? OR LIAO C? OR HUANG G?)/AU
L60 1 S L59 AND L51
L61 1 S L59 AND WATER?/SC,SX
L62 1 S L60,L61
L63 3 S L54,L58,L62
L64 3 S L63 AND L49,L51-L63

FILE 'HCAPLUS' ENTERED AT 13:00:43 ON 13 DEC 2005

FILE 'AQUALINE' ENTERED AT 13:01:39 ON 13 DEC 2005
L65 380 S L48
L66 0 S L65 AND MICROORG?
L67 3 S L65 AND MICRO ORG?
E MICROORGANISM/CT
L68 0 S E4,E5 AND L65 NOT L67
L69 15 S BACTERIA/CT AND L65 NOT L67
E MONITOR/CT
L70 10 S E4-E8 AND L65
L71 9 S L70 NOT L67,L69

FILE 'AQUASCI' ENTERED AT 13:04:57 ON 13 DEC 2005
L72 215 S L48
E MICROORGANISM/CT
L73 3 S E3-E6 AND L72
E MONITOR/CT
L74 1 S E5-E11 AND L72
E BACTERIA/CT
L75 27 S BACTER? AND L72
L76 17 S BACTER?/CT AND L72
L77 24 S L75,L76 NOT L73-L74

FILE 'AQUIRE' ENTERED AT 13:07:35 ON 13 DEC 2005
L78 549 S L48
L79 326 S L45
L80 549 S L78,L79
L81 0 S L80 AND MICROORG?

L82 0 S L80 AND MICRO ORG?
L83 8 S L80 AND BACTER?

FILE 'OCEAN' ENTERED AT 13:08:18 ON 13 DEC 2005

L84 27 S L48
L85 4 S L84 AND (MICROORG? OR MICRO ORG? OR BACTER?)

=>